


SAFETY FLASH



Be Prepared With the Proper Respirator

Haselden Construction has selected the 3M 8233 respirator as our standard N-100 model for tasks where respirable silica is generated and respiratory protection is required. The 3M 8233 respirator fits most employees, but not everyone. Haselden does have some employees that have been fit tested with other respirator makes and models. Each qualified employee must wear only the respirator(s) make(s) and model(s) for which (s)he has been trained and fit tested. Each employee who is qualified to wear respiratory protection has been issued a wallet card that clearly defines the specific type of respiratory protection they are permitted to use.

Indicates employee is qualified to wear 3M-8233



HASELDEN CONSTRUCTION

This is to certify that Joe Doe


has successfully completed Respirator User Training

Date: 3-17-2017 Expires: _____

Mr. John Joe

Instructor

Indicates employee has not passed a fit test. May only wear 3M TR 600/M 300 PAPP



HASELDEN CONSTRUCTION

This is to certify that Joe Doe


has successfully completed Respirator User Training

Date: _____ Expires: _____

Mr. John Joe

Instructor

Cartridge respirator model number/filter number



HASELDEN CONSTRUCTION

This is to certify that Joe Doe

has successfully completed Respirator User Training

Date: _____ Expires: _____


Mr. John Joe

Instructor

Best Practice

- Only allow employees to wear the specific respirator(s) for which they have been trained & qualified for.
- All respirator trained employees may wear the TR 600/M300 PAPP.
- Notify employees the day before respirator tasks will be performed so they can report to work clean shaven. (Not required when wearing the TR600/M300 PAPP)

Indicates alternate respirator when 3M 8233 does not fit. Size may be noted.



HASELDEN CONSTRUCTION

This is to certify that Joe Doe

has successfully completed Respirator User Training

Date: 3-17-2017 Expires: _____

Mr. John Joe

Instructor